

Anti-Protein DJ-1 homolog C, C-terminal antibody

Catalog: PHY7941S

Product Information

Description: Rabbit polyclonal antibody

Background: DJ1C is a homolog of animal DJ-1 superfamily protein. In the A. thaliana

genome, three genes encoding close homologs of human DJ-1 were identified

AT3G14990 (DJ1A), AT1G53280 (DJ1B) and AT4G34020 (DJ1C).

Synonyms: DJ1C, ATDJ1C, DJ-1 HOMOLOG C, DJ-1C

Immunogen: KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from

Arabidopsis thaliana DJ1C (AT4G34020).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

Reconstitution: Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8[°]C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:5000)

Note: Optimal dilutions/concentrations should be determined by the

end user.


Expected / apparent MW: 51 kDa

Predicted Reactivity: For more species homologues information, please contact tech

support at tech@phytoab.com.



Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for

immunization and having a molecular mass of 50 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP)

(Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with

CCD camera.