

## Anti-Os05g0530500 antibody

Catalog: PHY4498A

## **Product Information**

Description: Rabbit polyclonal antibody

Background: Similar to OSK1. (Os05t0530500-01); Serine/threonine protein kinase, Sugar

signaling (Os05t0530500-02); Similar to OSK1. (Os05t0530500-03)

**Synonyms:** Os05g0530500, SnRK1A

Immunogen: KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from

Oryza sativa Os05g0530500.

Form: Lyophilized

**Quantity:** 150 μg

**Purification:** Immunogen Affinity Purified.

**Reconstitution:** Reconstitution with 150 $\mu$ l of sterile 1 $\times$ PBS (PH=7.4).

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to  $-70^{\circ}$ C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8℃ under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 58 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 100% homologues with the sequence in *Triticum* aestivum, and 80-99% homologues with the sequence in *Zea mays*,

Hordeum vulgare, Sorghum bicolor, Setaria viridis, Panicum virgatum, Brassica napus, Brassica rapa, Glycine max, Nicotiana


Research Use Only



tabacum, Gossypium raimondii, Populus trichocarpa, Cucumis sativus, Solanum tuberosum, Solanum lycopersicum, Spinacia oleracea, Arabidopsis thaliana.

For more species homologues information, please contact tech support at <a href="tech@phytoab.com">tech@phytoab.com</a>.

## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 52 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or  $4^{\circ}$ C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at 4 °C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP)

(Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured with

CCD camera.