

Anti-Cytochrome c oxidase subunit COX1, mitochondrial antibody

Catalog: PHY0579A

Product Information

Description:	Rabbit polyclonal antibody
Background:	Cytochrome c oxidase is the last enzyme in the respiratory electron transport chain of mitochondria and it is also called Complex IV. Cytochrome c oxidase receives an electron from each of four cytochrome c molecules, and transfers them to one oxygen molecule, converting molecular oxygen to two molecules of water. In higher plants mitochondria, Complex IV processes 14 subunits. COX1 (ATMG01360) is one subunit of the Complex IV.
Synonyms:	COX1, CYTOCHROME OXIDASE
Immunogen:	KLH-conjugated synthetic peptide (15 aa from Central section) derived from <i>Arabidopsis thaliana</i> COX1 (ATMG01360).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Immunogen Affinity Purified
Reconstitution:	Reconstitution with 150 µl of sterile 1×PBS (PH=7.4). "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	58 kDa

Research Use Only

Predicted Reactivity:

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in *Setaria viridis*, *Sorghum bicolor*, *Panicum virgatum*, *Hordeum vulgare*, *Zea mays*, *Nicotiana tabacum*, *Populus trichocarpa*, *Brassica rapa*, *Oryza sativa*, *Triticum aestivum*, *Spinacia oleracea*, *Physcomitrium patens*, *Solanum tuberosum*, *Cucumis sativus*, and 80-99% homologues with the sequence in *Gossypium raimondii*, *Glycine max*, *Solanum lycopersicum*, *Vitis vinifera*, *Medicago truncatula*, *Brassica napus*. For more species homologues information, please contact tech support at tech@phytoab.com.