

Anti-Heat Shock Protein 90.2/3 antibody

Catalog: PHY0241S

Product Information

Description: Rabbit polyclonal antibody

Background: HSP90 (Heat Shock Protein 90) is involved in response to bacterium, arsenic

5 (AT2G04030), Hsp90-6 (AT3G07770), Hsp90-7 (AT4G24190).

Synonyms: HSP90.2/3, ATHSP90.2/3, HSP81.2/3, HEAT SHOCK PROTEIN 81.2/3, HEAT

SHOCK PROTEIN 90.2/3

Immunogen: KLH-conjugated synthetic peptide (16 aa from central section) of derived from

Arabidopsis thaliana HSP90.2/3 (AT5G56030 and AT5G56010).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

Reconstitution: Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.



Expected / apparent MW: 81 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 100% homologues with the sequence in *Zea mays*, *Panicum virgatum*, *Sorghum bicolor*, *Setaria viridis*, and 94%

homologues with the sequence in Nicotiana tabacum, Solanum

tuberosum, Solanum lycopersicum, Solanum tuberosum, Populus


trichocarpa, Vitis vinifera, Glycine max, Brassica rapa, Brassica

napus, Triticum aestivum, Hordeum vulgare, Oryza sativa, Gossypium

For more species homologues information, please contact tech

support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 44 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

raimondii, Cucumis sativus, Medicago truncatula.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured

with CCD camera.