

# **Anti-OsRLCK185 antibody**

Catalog: PHY4473S

### **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** OsRLCK185 is a receptor-like cytoplasmic kinase in rice that relays immune

signals from the chitin receptor OsCERK1 to downstream pathways. It phosphorylates OsMAPKKKε to activate MAPK cascades for defense against fungal pathogens (e.g., Magnaporthe oryzae) and interacts with OsCNGC9 to regulate calcium influx and ROS production during PTI (pattern-triggered

immunity).

**Synonyms:** RLCK185, LOC Os05g30870

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from central section) derived from

Oryza sativa RLCK185 (Os05g0372100).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 54 kDa




### **Predicted Reactivity:**

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in Arabidopsis thaliana, Zea mays, Triticum aestivum, Brassica rapa, Brassica napus, Vitis vinifera, Gossypium raimondii, Populus trichocarpa, Glycine max, Cucumis sativus, Nicotiana tabacum, Solanum lycopersicum, Solanum tuberosum, Spinacia oleracea, Medicago truncatula, Panicum virgatum, Setaria viridis, Hordeum vulgare, Sorghum bicolor and 94% homologues with the sequence in Physcomitrium patens.

For more species homologues information, please contact tech support at tech@phytoab.com.

#### **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 43 kDa.

**Electrophoresis:** 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured

with CCD camera.