

## **Anti-OsALDH2a antibody**

Catalog: PHY4357S

## **Product Information**

**Description:** Rabbit polyclonal antibody

Background: OsALDH2a is a mitochondrial aldehyde dehydrogenase. It detoxifies

acetaldehyde produced under hypoxia (e.g., flooding stress) and is crucial for submergence tolerance by maintaining energy metabolism and reducing

reactive oxygen species.

Synonyms: OsALDH2a, ALDH2a, Aldh2a, OsSTA73, OsALDH2B5, ALDH2B5

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from N-terminal section) derived from

Oryza sativa OsALDH2a (Os02g0730000).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a>.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.


**Expected / apparent MW:** 59 kDa

Predicted Reactivity: For more species homologues information, please contact tech

support at tech@phytoab.com.



## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 44 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured

with CCD camera.