

# Anti-VTE3 antibody

Catalog: PHY2763A

## Product Information

<b>Description:</b>	Rabbit polyclonal antibody
<b>Background:</b>	VTE3/APG1 is a chloroplast envelope methyltransferase. It is essential for vitamin E and plastoquinone biosynthesis by catalyzing the methylation of MPBQ/MSBQ.
<b>Synonyms:</b>	VTE3, ALBINO OR PALE GREEN MUTANT 1, APG1, E37, IEP37, INNER ENVELOPE PROTEIN 37, VITAMIN E DEFECTIVE 3
<b>Immunogen:</b>	KLH-conjugated synthetic peptide (17 aa from central section) derived from <i>Arabidopsis thaliana</i> VTE3 (AT3G63410).
<b>Form:</b>	Lyophilized
<b>Quantity:</b>	150 µg
<b>Purification:</b>	Immunogen affinity purified
<b>Reconstitution:</b>	Reconstitution with 150 µl of sterile 1XPBS (PH=7.4) containing 30% glycerol. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
<b>Stability &amp;</b>	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
<b>Storage:</b>	12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
<b>Shipping:</b>	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

## Application Information


<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the end user.
<b>Expected / apparent MW:</b>	38 kDa
<b>Predicted Reactivity:</b>	Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in <i>Cucumis sativus</i> , <i>Leymus chinensis</i> , <i>Oryza sativa</i> , <i>Hordeum vulgare</i> , <i>Glycine</i>

Research Use Only

*max*, *Triticum aestivum*, *Panicum virgatum*, *Zea mays*, *Sorghum bicolor*, *Medicago truncatula*, *Setaria viridis*, *Spinacia oleracea*, *Populus trichocarpa*, *Gossypium raimondii*, *Vitis vinifera*, *Solanum tuberosum*, *Nicotiana tabacum*, *Solanum lycopersicum*, *Chlamydomonas reinhardtii*, *Brassica napus*, *Brassica rapa*, and 93% homologues with the sequence in *Physcomitrium patens*.

For more species homologues information, please contact tech support at [tech@phytoab.com](mailto:tech@phytoab.com).

### Application Example



**Electrophoresis:** 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or 4°C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at 4°C.

**Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only