

Anti-OsMKK4 antibody

Catalog: PHY4087S

Product Information

Description:	Rabbit polyclonal antibody
Background:	OsMKK4 (Os02g0787300/SMG1) is a mitogen-activated protein kinase kinase that positively regulates grain size by promoting cell proliferation. It functions in the OsMKKK10-OsMKK4-OsMAPK6 signaling pathway and is also a positive regulator of defense responses. The protein is ubiquitously distributed in plant cells.
Synonyms:	SMG1, OsMKK4, MKK4, OsMKK4/SMG1
Immunogen:	KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from <i>Oryza sativa</i> OsMKK4 (Os02g0787300).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150 µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.


Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	40 kDa
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used

Research Use Only

for immunization is 100% homologues with the sequence in *Panicum virgatum*, *Setaria viridis*, *Zea mays*, and 94% homologues with the sequence in *Triticum aestivum*, *Sorghum bicolor*, *Hordeum vulgare*. The sequence of the synthetic peptide used for immunization is 94% homologues with the sequence in OsPORB (Os10g0496900). For more species homologues information, please contact tech support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 45 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.