

## Anti-Meiotic recombination protein DMC1 homolog antibody

Catalog: PHY1788S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** Expression of the AtDMC1 is restricted to pollen mother cells in anthers and to

megaspore mother cells in ovules. It is similar to meiosis-specific yeast DMC

gene.

Synonyms: DMC1, ARABIDOPSIS HOMOLOG OF LILY MESSAGES INDUCED AT

MEIOSIS 15, ARABIDOPSIS THALIANA DISRUPTION OF MEIOTIC

CONTROL 1, ARLIM15, ATDMC1, DISRUPTION OF MEIOTIC CONTROL 1

**Immunogen:** KLH-conjugated synthetic peptide (17 aa from N terminal section) derived from

Arabidopsis thaliana DMC1 (AT3G22880).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a>.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to -70  $^{\circ}$ C as supplied.

6 months, -20 to -70  $^{\circ}$ C under sterile conditions after reconstitution.

1 month, 2 to 8℃ under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 38 kDa



Confirmed Reactivity: Coming soon

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 80-99% homologues with the sequence in

Brassica rapa, Brassica napus.

For more species homologues information, please contact tech

support at tech@phytoab.com.