

## **Anti-Calreticulin-2 antibody**

Catalog: PHY1820S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** Calreticulin (CRT) is an endoplasmic reticulum (ER)-localized chaperone-like

lectin that plays a crucial role in promoting the folding and maturation of newly synthesized glycoproteins and retaining incompletely/mis-folded proteins in the ER through its specific binding to monoglucosylated aspariginelinked glycans. And the CRTs are including CRT1 (AT1G56340), CRT2 (AT1G09210), CRT3

(AT1G08450).

Synonyms: CRT1b, CRT1B, ATCRT1B, CALRETICULIN 1B, CALRETICULIN 2, CRT2

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from C terminal section) derived from

Arabidopsis thaliana CRT1b (AT1G09210).

Form: Lyophilized

**Quantity**: 150 μg **Purification**: Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 °C under sterile conditions after reconstitution.

1 month, 2 to 8℃ under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 48 kDa



Confirmed Reactivity: Coming soon

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 80-99% homologues with the sequence in

Brassica napus.

For more species homologues information, please contact tech

support at tech@phytoab.com.