

Anti-Glutamyl-tRNA reductase 2, chloroplastic antibody

Catalog: PHY0644S

Product Information

Description:	Rabbit polyclonal antibody
Background:	Glutamyl-tRNA reductase is involved in heme biosynthesis in
	non-photosynthetic tissues and induced by oxidative stress in photosynthetic
	tissues to supply heme for defensive hemoproteins.
Synonyms:	HEMA2, GluTR
Immunogen:	KLH-conjugated synthetic peptide of HEMA2 derived from Arabidopsis thaliana
	AT1G09940.
Form:	Lyophilized
Quantity:	150 μg
Purification:	Serum
	Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> .
Reconstitution:	Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> . Reconstitution with 150µl of sterile water.
Reconstitution:	
Reconstitution:	Reconstitution with 150µl of sterile water.
Reconstitution: Stability &	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might
	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Stability &	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied.
Stability &	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution.
Stability & Storage:	 Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.


Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected/apparent MW:	58 / 52 kDa
Confirmed Reactivity:	Arabidopsis thaliana
Predicted Reactivity:	For more species homologues information, please contact tech
	support at tech@phytoab.com.

Research Use Only



Application Example



PHY0644S

Lane 1: 0.275 µg stromal protein from *Arabidopsis thaliana* leaf. Lane 2: 6 µg stromal protein from *Arabidopsis thaliana* leaf. Lane 3: 12 µg stromal protein from *Arabidopsis thaliana* leaf. **Electrophoresis:** 12.5% SDS-Urea-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:2000 dilution overnight at 4°C. **Secondary antibody:** 1:20000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000). **Detection:** using chemiluminescence substrate and image were captured with CCD camera.



Research Use Only