

Anti-Protein TRIGALACTOSYLDIACYLGLYCEROL 2, chloroplastic antibody

Catalog: PHY2814S

Product Information

Description:	Rabbit polyclonal antibody
Background:	TGD2 is a component of a phosphatidic acid/lipid transport complex in the chloroplast envelope. It specifically binds phosphatidic acid (PA). And it involved in lipid transfer from the endoplasmic reticulum (ER) to plastids, and necessary for thylakoids formation.
Synonyms:	TGD2, ABCI15, ATP-BINDING CASSETTE I15, TRIGALACTOSYLDIACYLGLYCEROL2
Immunogen:	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from <i>Arabidopsis thaliana</i> TGD2 (AT3G20320).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
------------------------------	--

Research Use Only

Expected / apparent MW: 42 kDa

Confirmed Reactivity: *Arabidopsis thaliana*

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used for immunization is 80-99% homologues with the sequence in *Medicago truncatula*, *Brassica napus*, *Brassica rapa*, *Gossypium raimondii*. For more species homologues information, please contact tech support at tech@phytoab.com.