

Anti-PLASTID TRANSCRIPTIONALLY ACTIVE 10 antibody

Catalog: PHY0394A

Product Information

Description:	Rabbit polyclonal antibody	
Background:	In chloroplasts, transcription of plastid genes is mediated by two types of RNA	
	polymerase: plastid-encoded RNA polymerase (PEP) and nuclearencoded	
	RNA polymerase (NEP). Transcription in plastids is also mediated by a number	
	of nuclear-encoded factors in addition to PEP and NEP. In the insoluble RNA	
	polymerase preparation samples, a total of 18 components named as pTACs	
	(pTAC1 to pTAC18) were identified. pTAC10 (AT3G48500) is one of the	
	components associated with PEP complex.	
Synonyms:	pTAC10, PDE312, PIGMENT DEFECTIVE 312, PLASTID	
	TRANSCRIPTIONALLY ACTIVE 10, TAC10	
Immunogen:	KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from	
	Arabidopsis thaliana pTAC10 (AT3G48500).	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Immunogen affinity purified	
Reconstitution:	Reconstitution with 150 μ l of 0.01M sterile PBS.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70 $^\circ\mathbb{C}$ as supplied.	
	6 months, -20 to -70 $^\circ C$ under sterile conditions after reconstitution.	
	1 month, 2 to 8 $^\circ C$ under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4 $^\circ\!\!\mathbb{C}.$ Upon receipt, store it immediately at the	
	temperature recommended above.	

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.



Expected / apparent MW: Confirmed Reactivity: Predicted Reactivity: 82 kDa

Coming soon

Among species analyzed, the sequence of the synthetic peptide used for immunization is 80-99% homologues with the sequence in *Triticum aestivum, Solanum tuberosum, Solanum lycopersicum, Gossypium raimondii, Populus trichocarpa, Glycine max, Hordeum vulgare subsp. vulgare, Setaria viridis, Panicum virgatum, Brassica rapa, Brassica napus, Zea mays, Sorghum bicolor, Oryza sativa Japonica Group, Cucumis sativus, Medicago truncatula, Vitis vinifera, Spinacia oleracea.*

For more species homologues information, please contact tech support at <u>tech@phytoab.com</u>.



Research Use Only