

Anti-Alternative NAD(P)H-ubiquinone oxidoreductase C1, chloroplastic/mitochondrial antibody

Catalog: PHY3412S

Product Information

Description: Rabbit polyclonal antibody

Background: NDC1 catalyzes the penultimate step in phylloquinone (vitamin K1)

biosynthesis.

Synonyms: NDC1, NAD(P)H DEHYDROGENASE C1

Immunogen: KLH-conjugated synthetic peptide (15 aa from Central section) derived from

Arabidopsis thaliana NDC1 (AT5G08740).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

Reconstitution: Reconstitution with 150µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70° C as supplied.

6 months, -20 to -70 $^{\circ}$ C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 57 kDa

Confirmed Reactivity: Coming soon

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used for

immunization is 80-99% homologues with the sequence in *Brassica*

napus, Brassica rapa, Glycine max.

Research Use Only



For more species homologues information, please contact tech support at tech@phytoab.com.