

## Anti-Nitrogen regulatory protein P-II homolog, N-terminal antibody

Catalog: PHY4316A

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** Os05g0133100 participates in sensing carbon and organic nitrogen status and

regulates some steps of primary carbon and nitrogen metabolism.

**Synonyms:** Os05g0133100

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from N terminal section) derived from

Oryza sativa Os05g0133100.

Form: Lyophilized

**Quantity**: 150 μg

Purification: Immunogen affinity purified

**Reconstitution:** Reconstitution with 150 µl of 0.01M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to -70 °C as supplied.

6 months, -20 to -70 $^{\circ}$ C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 23 kDa


Confirmed Reactivity: Coming soon

**Predicted Reactivity:** For more species homologues information, please contact tech

support at tech@phytoab.com.



## **Application Example**



Recom: 2.5 ng and 15 ng recombinant proteincontaining the peptide for

immunization and having a molecular mass of 47 kDa.

Electrophoresis: 12% SDS-PAGE.

Transfer: blotting to NC (nitrocellulose) membrane for 1h.

**Blocking:** 5% skim milk at RT or 4℃ for 1h.

**Primary antibody:** 1:1000 dilution overnight at 4℃.

**Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP)

(Cat# PHY6000).

Detection: using chemiluminescence substrate and image were

captured with CCD camera.