

Anti-Os06g0127800 antibody

Catalog: PHY4005S

Product Information

Description:Rabbit polyclonal antibodyBackground:GAI-RGA-SCR (GRAS) family protein, Brassinosteroid signaling (Os06t0127800-01)Synonyms:DWARF AND LOW-TILLERING/DLT, dlt, OsGRAS32, OsDLTImmunogen:KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from Orvza sativa (Os06g0127800).Form:LyophilizedQuantity:50 µgPurification:SerumReconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.			
(Os06t0127800-01)Synonyms:DWARF AND LOW-TILLERING/DLT, dlt, OsGRAS32, OsDLTImmunogen:KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from Orvza sativa (Os06g0127800).Form:LyophilizedQuantity:50 µgPurification:SerumReconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Description:	Rabbit polyclonal antibody	
Synonyms:DWARF AND LOW-TILLERING/DLT, dlt, OsGRAS32, OsDLTImmunogen:KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from Orvza sativa (Os06g0127800).Form:LyophilizedQuantity:50 μgPurification:SerumReconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Background:	GAI-RGA-SCR (GRAS) family protein, Brassinosteroid signaling	
Immunogen:KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from Orvza sativa (Os06g0127800).Form:LyophilizedQuantity:50 μgPurification:SerumReconstitution:Reconstitution with 50μl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.		(Os06t0127800-01)	
Orvza sativa (Os06g0127800).Form:LyophilizedQuantity:50 μgPurification:SerumReconstitution:Reconstitution with 50μl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Synonyms:	DWARF AND LOW-TILLERING/DLT, dlt, OsGRAS32, OsDLT	
Form:LyophilizedQuantity:50 μgPurification:SerumReconstitution:Reconstitution with 50μl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Immunogen:	KLH-conjugated synthetic peptide (14 aa from N terminal section) derived from	
Quantity:50 µgPurification:SerumReconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.		<i>Orvza sativa</i> (Os06g0127800).	
Purification:SerumReconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Form:	Lyophilized	
Reconstitution:Reconstitution with 50µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Quantity:	50 µg	
 "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube". Stability & Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution. 	Purification:	Serum	
Stability &Occur from lyophilized material adhering to the cap or sides of the tube".Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied.6 months, -20 to -70°C under sterile conditions after reconstitution.1 month, 2 to 8°C under sterile conditions after reconstitution.	Reconstitution:	Reconstitution with 50µl of sterile water.	
Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.Storage:12 months from date of receipt, -20 to -70°C as supplied.6 months, -20 to -70°C under sterile conditions after reconstitution.1 month, 2 to 8°C under sterile conditions after reconstitution.		"Note: please spin tube briefly prior to opening it to avoid any losses that n	
Storage:12 months from date of receipt, -20 to -70°C as supplied.6 months, -20 to -70°C under sterile conditions after reconstitution.1 month, 2 to 8°C under sterile conditions after reconstitution.		occur from lyophilized material adhering to the cap or sides of the tube".	
6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.	Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
1 month, 2 to 8°C under sterile conditions after reconstitution.	Storage:	12 months from date of receipt, -20 to -70°C as supplied.	
		6 months, -20 to -70°C under sterile conditions after reconstitution.	
Shinning: The product is shipped at 4° Lipper receipt store it immediately at the		1 month, 2 to 8°C under sterile conditions after reconstitution.	
Shipping. The product is shipped at 4 C. Opon receipt, store it initiatiately at the	Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the	
temperature recommended above.		temperature recommended above.	

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	66 kDa
Confirmed Reactivity:	Coming soon
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 80-99% homologues with the sequence in
	Sorghum bicolor, Hordeum vulgare.
	For more species homologues information, please contact tech

Research Use Only



support at tech@phytoab.com.



PhytoAB Inc.

Research Use Only