

Anti-DNA-directed RNA polymerase 3, chloroplastic antibody

Catalog: PHY0836A

Product Information

Description: Rabbit polyclonal antibody

Background: The nuclear genome of Arabidopsis contains two candidate genes for NEP,

RpoTp and RpoTmp, both coding for phage-type RNA polymerases.

DNA-dependent RNA polymerase catalyzes the transcription of DNA into RNA

using the four ribonucleoside triphosphates as substrates.

Synonyms: RPOTp, AtRPOTp, PDE319, PIGMENT DEFECTIVE 319, SCA3, SCABRA 3

Immunogen: KLH-conjugated synthetic peptide of (14 aa from N terminal section) derived

from Arabidopsis thaliana RPOTp (AT2G24120).

Form: Lyophilized

Quantity: 150 μg

Purification: Immunogen affinity purified

Reconstitution: Reconstitution with 150 µl of 0.01 M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability & Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70° C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 113 kDa

Confirmed Reactivity: Coming soon

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used



for immunization is 100% homologues with the sequence in *Brassica* rapa, *Brassica* napus.

For more species homologues information, please contact tech support at tech@phytoab.com.