

Anti-ATP synthase subunit 3, mitochondrial antibody

Catalog: PHY0595A

Product Information

Description:	Rabbit polyclonal antibody	
Background:	Mitochondrial F0F1-ATP synthase is also called Complex V and it synthesis	
	ATP from ADP and Pi using the proton motive force created by respiratory	
	electron transport. ATP3 (AT2G33040) is a subunit of mitochondrial F0F1-ATP	
	synthase in Arabidopsis.	
Synonyms:	ATP3, GAMMA SUBUNIT OF MT ATP SYNTHASE	
Immunogen:	KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from	
	Arabidopsis thaliana ATP3 (AT2G33040).	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Immunogen affinity purified	
Reconstitution:	Reconstitution with 150 μl of 0.01 M sterile PBS.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70°C as supplied.	
	6 months, -20 to -70°C under sterile conditions after reconstitution.	
	1 month, 2 to 8°C under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the	
	temperature recommended above.	

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	35 / 30 kDa
Confirmed Reactivity:	Arabidopsis thaliana
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used for
	immunization is 100% homologues with the sequence in <i>Brassica napus</i> ,

Research Use Only



Brassica rapa, and 80-99% homologues with the sequence in *Vitis* vinifera, Glycine max, Hordeum vulgare, Gossypium raimondii, Populus trichocarpa, Spinacia oleracea, Zea mays, Oryza sativa, Sorghum bicolor, Medicago truncatula, Setaria viridis, Panicum virgatum, Triticum aestivum, Cucumis sativus, Nicotiana tabacum. For more species homologues information, please contact tech support at <u>tech@phytoab.com</u>.

Application Example



Mito: 15 µg mitochondria protein from Arabidopsis thaliana.

Electrophoresis: 15% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:2000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only