

## **Anti-Cry1Ab antibody**

Catalog: PHY0622

## **Product Information**

**Description:** Mouse monoclonal antibody

Background: Cry1Ab promotes colloidosmotic lysis by binding to the midgut epithelial cells of

many lepidopteran larvae.

**Synonyms:** Cry1Ab

**Immunogen:** Synthetic peptide (14 aa from Central section) of Cry1Ab serial protein derived

from Bacillus thuringiensis (P0A370).

Form: Lyophilized

**Quantity:** 150 μg

Purification: Protein A purified

**Reconstitution:** Reconstitution with 150 µl of 0.01 M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.


**Expected / apparent MW:** 60-70 kDa

**Confirmed Reactivity:** Zea mays

**Predicted Reactivity:** Cry1Ab recognizes recombinant Cry1Ab protein and transgenic rice.



## **Application Example**



ZmCryAb-Sol: 2.5 μg, 5 μg, 10 μg, 20 μg and 25 μg total soluble

protein from transgenic Zea mays leaf respectively

Electrophoresis: 10% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or  $4^{\circ}$ C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at 4 °C.

Secondary antibody: 1:5000 dilution using Goat Anti-Mouse IgG

H&L (HRP) (Cat# PHY6006).

**Detection:** using chemiluminescence substrate and image were

captured with CCD camera.