

## Anti-AT1G54500 antibody

Catalog: PHY1967S

## **Product Information**

Description:	Rabbit polyclonal antibody
Background:	AT1G54500
Synonyms:	AT1G54500
Immunogen:	Recombinant mature RBD1 without transmembrane domain derived from
	Arabidopsis thaliana AT1G54500.
Form:	Lyophilized
Quantity:	150 μg
Purification:	Serum
Reconstitution:	Reconstitution with 150 µl of sterile water.
	"Note: please spin tube briefly prior to opening it to avoid any losses that might
	"Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	
Stability & Storage:	occur from lyophilized material adhering to the cap or sides of the tube".
	occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
	occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied.
	occur from lyophilized material adhering to the cap or sides of the tube". Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution.

## **Application Information**


Recommended Dilution:	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	22 kDa
Confirmed Reactivity:	Arabidopsis thaliana
Predicted Reactivity:	For more species homologues information, please contact tech
	support at <u>tech@phytoab.com</u> .

Research Use Only



## **Application Example**

camera.



Thy: 1.25 μg and 2.5 μg total protein from *Arabidopsis thaliana*, respectively. **Electrophoresis:** 15% SDS-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:1000 dilution overnight at 4°C. **Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000). **Detection:** using chemiluminescence substrate and image were captured with CCD



Research Use Only

PhytoAB Inc.