

## Anti-Cytochrome c oxidase subunit 3, N-terminal antibody

Catalog: PHY3159S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** Cytochrome c oxidase is the last enzyme in the respiratory electron transport

chain of mitochondria and it is also called Complex IV. Cytochrome c oxidase receives an electron from each of four cytochrome c molecules, and transfers them to one oxygen molecule, converting molecular oxygen to two molecules of water. In higher plants mitochondria, Complex IV processes 14 subunits. COX3

(ATMG00730) is one subunit of the Complex IV.

**Synonyms:** COX3, CYTOCHROME C OXIDASE SUBUNIT 3

Immunogen: KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from

Arabidopsis thaliana COX3 (ATMG00730, AT2G07687).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at <a href="mailto:info@phytoab.com">info@phytoab.com</a>.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.



Expected / apparent MW: 30 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 100% homologues with the sequence in

Gossypium raimondii, Medicago truncatula, Zea mays, Triticum

aestivum, Panicum virgatum, Hordeum vulgare subsp. vulgare,

Oryza sativa, Setaria viridis, Cucumis sativus, Glycine max, Spinacia

oleracea, Brassica napus, Populus trichocarpa, Solanum tuberosum,

Brassica rapa, and 80-99% homologues with the sequence in Vitis

vinifera, Nicotiana tabacum, Solanum lycopersicum, Physcomitrium

patens.

For more species homologues information, please contact tech

support at tech@phytoab.com.