

Anti-26S proteasome non-ATPase regulatory subunit 2 homolog A/B antibody

Catalog: PHY2594A

Product Information

Description: Rabbit polyclonal antibody

Background: The 26S proteasome plays a central role in the degradation of regulatory

proteins involved in a variety of developmental processes. It consists of two

multisubunit protein complexes: the proteolytic core protease and the

regulatory particle (RP). The RPN1 subunit belongs to the base complex of the RP and is known to physically interact with two proteins carrying ubiquitin-like

domains, Rad23 and Dsk2.

Synonyms: RPN1

Immunogen: KLH-conjugated synthetic peptide (16 aa from N terminal section) derived from

Arabidopsis thaliana RPN1A (AT2G20580) and RPN1B (AT4G28470).

Form: Lyophilized

Quantity: 150 μg

Purification: Immunogen affinity purified.

Reconstitution: Reconstitution with 150 µl of 0.01 M sterile PBS.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

Stability &Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70 $^{\circ}$ C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

Shipping: The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

Application Information

Recommended Dilution: Western Blot(1:1000-1:5000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 98 kDa




Predicted Reactivity:

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in Zea mays, Brassica rapa, Vitis vinifera, Oryza sativa, Glycine max, Triticum aestivum, Nicotiana tabacum, Hordeum vulgare, Panicum virgatum, Solanum tuberosum, Solanum lycopersicum, Cucumis sativus, Spinacia oleracea, Sorghum bicolor, Brassica napus, Setaria viridis, Populus trichocarpa, Medicago truncatula.

For more species homologues information, please contact tech support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 50 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP)

(Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with

CCD camera.