

Anti-Thioredoxin-like protein CDSP32, chloroplastic, C-terminal antibody

Catalog: PHY2612S

Product Information

Rabbit polyclonal antibody
The chloroplastic drought-induced stress protein of 32 kD (CDSP32) is
composed of two thioredoxin modules and is induced by environmental and
oxidative stress conditions.
CDSP32, ARABIDOPSIS THALIANA CHLOROPLASTIC
DROUGHT-INDUCED STRESS PROTEIN OF 32 KD, ATCDSP32,
CHLOROPLASTIC DROUGHT-INDUCED STRESS PROTEIN OF 32 KD
KLH-conjugated synthetic peptide (15 aa from C terminal section) derived from
Arabidopsis thaliana CDSP32 (AT1G76080).
Lyophilized
150 μg
Serum
Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> .
Reconstitution with 150 µl of sterile water.
"Note: please spin tube briefly prior to opening it to avoid any losses that might
occur from lyophilized material adhering to the cap or sides of the tube".
Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
12 months from date of receipt, -20 to -70 $^\circ C$ as supplied.
6 months, -20 to -70 $^\circ C$ under sterile conditions after reconstitution.
1 month, 2 to 8 $^{\circ}$ C under sterile conditions after reconstitution.
The product is shipped at 4 $^\circ\!\mathrm{C}.$ Upon receipt, store it immediately at the

Application Information

Recommended Dilution:	Western Blot (1:1000-1:5000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	34 kDa




Predicted Reactivity:

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in *Hordeum vulgare*, *Medicago truncatula*, *Brassica napus*, *Brassica rapa*, *Spinacia oleracea*, *Triticum aestivum*, *Sorghum bicolor*, *Gossypium raimondii*, *Populus trichocarpa*, *Vitis vinifera*, *Solanum tuberosum*, *Solanum lycopersicum*, *Nicotiana* taba*cum*, *Glycine max*, and 80-99% homologues with the sequence in *Panicum virgatum*, *Setaria viridis*, *Zea mays*, *Oryza sativa*, *Cucumis sativus*, *Physcomitrium patens*.

For more species homologues information, please contact tech support at <u>tech@phytoab.com</u>.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 44 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4° C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.

Research Use Only