

Anti-B3 domain-containing transcription factor ABI3, C-terminal antibody

Catalog: PHY2286A

Product Information

Description:	Rabbit polyclonal antibody
Background:	ABSCISIC ACID INSENSITIVE3 (ABI3), FUSCA3 (FUS3), and LEAFY COTYLEDON2 (LEC2) have been implicated in seed development and belong to the B3 family of TFs. ABI3 participates in abscisic acid-regulated gene expression during seed development. And it regulates the transcription of SGR1 and SGR2 that are involved in leaf and embryo degreening.
Synonyms:	ABI3, ABA INSENSITIVE 3, ABSCISIC ACID INSENSITIVE 3, ATABI3, SIS10, SUGAR INSENSITIVE 10
Immunogen:	KLH-conjugated synthetic peptide (18 aa from C terminal section) derived from <i>Arabidopsis thaliana</i> ABI3 (AT3G24650).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Immunogen affinity purified
Reconstitution:	Reconstitution with 150 µl of 0.01 M sterile PBS. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability & Storage:	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. 12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	79 kDa

Research Use Only

Predicted Reactivity:

For more species homologues information, please contact tech support at tech@phytoab.com.