

## Anti-Hydroperoxy fatty acid reductase gpx1 antibody

Catalog: PHY5299S

## **Product Information**

Description:	Rabbit polyclonal antibody	
Background:	GPX1	
Synonyms:	GPX1, gpx1	
Immunogen:	KLH-conjugated synthetic peptide (16 aa from N terminal section) derived from	
	Synechocystis sp. PCC 6803 GPX1 (slr1171).	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Serum	
	Peptide affinity form antibody available upon request at info@phytoab.com.	
<b>Reconstitution:</b>	Reconstitution with 150 µl of sterile water.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70 $^\circ \!\! \mathbb{C}$ as supplied.	
	6 months, -20 to -70 $^\circ$ C under sterile conditions after reconstitution.	
	1 month, 2 to 8 $^\circ$ C under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4 $^\circ\!\mathrm{C}$ . Upon receipt, store it immediately at the	
	temperature recommended above.	


## **Application Information**

<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	18 kDa
Predicted Reactivity:	For homologues with other species especially algae, please contact
	tech support at tech@phytoab.com.

Research Use Only



## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 40 kDa.
Electrophoresis: 12% SDS-PAGE
Transfer: blotting to NC (nitrocellulose) membrane for 1 h.
Blocking: 5% skim milk at RT or 4°C for 1 h.
Primary antibody: 1:1000 dilution overnight at 4°C.
Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).
Detection: using chemiluminescence substrate and image were captured with CCD camera.



Research Use Only