

Anti-Glucose-1-phosphate adenylyltransferase small subunit, chloroplastic antibody

Catalog: PHY0244S

Product Information

Description:	Rabbit polyclonal antibody
Background:	ADP-glucose pyrophosphorylase (ADGP) is the catalytic isoform responsible for ADP-glucose pyrophosphorylase activity. The presence of ADGP is required for large subunit stability. ApS1 is the major small subunit isoform present in all plant tissues tested.
Synonyms:	ADG1, ADGP, ADP GLUCOSE PYROPHOSPHORYLASE 1, ADP-GLUCOSE PYROPHOSPHORYLASE SMALL SUBUNIT 1, APS1
Immunogen:	KLH-conjugated synthetic peptide (13 aa from Central section) derived from <i>Arabidopsis thaliana</i> ADG1 (AT5G48300).
Form:	Lyophilized
Quantity:	150 µg
Purification:	Serum Peptide affinity form antibody available upon request at info@phytoab.com .
Reconstitution:	Reconstitution with 150 µl of sterile water. "Note: please spin tube briefly prior to opening it to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tube".
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
Storage:	12 months from date of receipt, -20 to -70°C as supplied. 6 months, -20 to -70°C under sterile conditions after reconstitution. 1 month, 2 to 8°C under sterile conditions after reconstitution.
Shipping:	The product is shipped at 4°C. Upon receipt, store it immediately at the temperature recommended above.

Application Information

Recommended Dilution:	Western Blot (1:1000-1:2000) Note: Optimal dilutions/concentrations should be determined by the end user.
Expected / apparent MW:	57 kDa


Research Use Only

Predicted Reactivity:

Among species analyzed, the sequence of the synthetic peptide used for immunization is 100% homologues with the sequence in *Brassica rapa*, *Physcomitrium patens*, *Populus trichocarpa*, *Cucumis sativus*, *Solanum tuberosum*, *Brassica napus*, *Nicotiana tabacum*, *Glycine max*, *Gossypium raimondii*, *Hordeum vulgare*, *Medicago truncatula*, *Setaria viridis*, *Sorghum bicolor*, *Panicum virgatum*, *Zea mays*, *Vitis vinifera*, *Oryza sativa*, *Triticum aestivum*, and 80-99% homologues with the sequence in *Solanum lycopersicum*, *Spinacia oleracea*, *Synechococcus elongatus* PCC 7942.

For more species homologues information, please contact tech support at tech@phytoab.com.

Application Example



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 43 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4°C for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured with CCD camera.