

## Anti-Heat Shock 70 KDa Protein BIP1/2 antibody

Catalog: PHY1481A

## **Product Information**

Description:	Rabbit polyclonal antibody	
Background:	BIP1 and BIP2 are the members of the luminal binding protein BiP involved in	
	polar nuclei fusion during proliferation of endosperm nuclei.	
Synonyms:	BIP1/2	
Immunogen:	KLH-conjugated synthetic peptide (14 aa from Central section) derived from	
	Arabidopsis thaliana BIP1 (AT5G28540) and BIP2 (AT5G42020).	
Form:	Lyophilized	
Quantity:	150 µg	
Purification:	Immunogen affinity purified	
<b>Reconstitution:</b>	Reconstitution with 150 μl of 0.01 M sterile PBS.	
	"Note: please spin tube briefly prior to opening it to avoid any losses that might	
	occur from lyophilized material adhering to the cap or sides of the tube".	
Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.	
Storage:	12 months from date of receipt, -20 to -70 $^\circ\!\!\mathbb{C}$ as supplied.	
	6 months, -20 to -70 $^\circ\!{ m C}$ under sterile conditions after reconstitution.	
	1 month, 2 to 8 $^\circ\!\!\!\!^\circ$ under sterile conditions after reconstitution.	
Shipping:	The product is shipped at 4 $^\circ\!\mathrm{C}.$ Upon receipt, store it immediately at the	
	temperature recommended above.	

## **Application Information**

<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	74 / 72 kDa
Confirmed Reactivity:	Arabidopsis thaliana
Predicted Reactivity:	Among species analyzed, the sequence of the synthetic peptide used
	for immunization is 100% homologues with the sequence in <i>Brassica</i>
	napus, Brassica rapa, Gossypium raimondii, Vitis vinifera, Solanum


tuberosum, Solanum lycopersicum, and 80-99% homologues with the

PhytoAB Inc.



sequence in Spinacia oleracea, Populus trichocarpa, Sorghum bicolor, Medicago truncatula, Glycine max, Nicotiana tabacum, Cucumis sativus, Setaria viridis, Triticum aestivum, Hordeum vulgare, Oryza sativa Japonica Group, Zea mays, Panicum virgatum. The sequence of the synthetic peptide used for immunization is 92% homologues with the sequence in BIP3 (AT1G09080). For more species homologues information, please contact tech support at tech@phytoab.com.

## **Application Example**



TP: 30 μg total protein from *Arabidopsis thaliana*. Nuc:7.5 μgnuclear proteinfrom *Arabidopsis thaliana*. **Electrophoresis:** 10% SDS-PAGE **Transfer:** blotting to NC (nitrocellulose) membrane for 1 h. **Blocking:** 5% skim milk at RT or 4°C for 1 h. **Primary antibody:** 1:2000 dilution overnight at 4°C. **Secondary antibody:** 1:10000 dilution using Goat Anti-Rabbit IgGH&L (HRP)(Cat# PHY6000). **Detection:** using chemiluminescence substrate and image were captured

with CCD camera.

Research Use Only