

## Anti-Transketolase-1, chloroplastic antibody

Catalog: PHY7212S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** TKL1 (transketolase) is an essential enzyme of both the

Calvin-Benson-Bassham cycle and the oxidative pentose phosphate pathway.

It acts as a stress sensor involved in adaptation process.

Synonyms: TKL1, ATTKL1, TRANSKETOLASE 1

**Immunogen:** KLH-conjugated synthetic peptide (15 aa from N terminal section) derived from

Arabidopsis thaliana TKL1 (AT3G60750).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

**Storage:** 12 months from date of receipt, -20 to  $-70^{\circ}$ C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4 °C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 80 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 100% homologues with the sequence in Oryza


sativa, Sorghum bicolor, Panicum virgatum, and 80-99% homologues



with the sequence in Medicago truncatula, Physcomitrium patens, Setaria viridis, Zea mays, Triticum aestivum, Hordeum vulgare, Brassica napus, Solanum lycopersicum, Solanum tuberosum, Nicotiana tabacum, Brassica rapa.

For more species homologues information, please contact tech support at <a href="mailto:tech@phytoab.com">tech@phytoab.com</a>.

## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 50 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or  $4^{\circ}$ C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at 4 °C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were

captured with CCD camera.