

## Anti-Elongation factor 1-gamma 1 and 2 antibody

Catalog: PHY0219S

## **Product Information**

**Description:** Rabbit polyclonal antibody

**Background:** eEF1B-gamma 1 and 2 belong to translation elongation factor EF1B, they are

involved in translational elongation.

Synonyms: eEF1B-gamma1/2, EF-1-gamma 1/2, eEF-1B gamma 1/2

**Immunogen:** KLH-conjugated synthetic peptide (16 aa from Central section) derived from

Arabidopsis thaliana eEF1B-gamma 1 (AT1G09640) and eEF1B-gamma 2

(AT1G57720).

Form: Lyophilized

Quantity:150 μgPurification:Serum

Peptide affinity form antibody available upon request at info@phytoab.com.

**Reconstitution:** Reconstitution with 150 µl of sterile water.

"Note: please spin tube briefly prior to opening it to avoid any losses that might

occur from lyophilized material adhering to the cap or sides of the tube".

**Stability &**Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

Storage: 12 months from date of receipt, -20 to -70°C as supplied.

6 months, -20 to -70°C under sterile conditions after reconstitution.

1 month, 2 to 8°C under sterile conditions after reconstitution.

**Shipping:** The product is shipped at 4°C. Upon receipt, store it immediately at the

temperature recommended above.

## **Application Information**

**Recommended Dilution:** Western Blot (1:1000-1:2000)

Note: Optimal dilutions/concentrations should be determined by the

end user.

Expected / apparent MW: 47 kDa

Predicted Reactivity: Among species analyzed, the sequence of the synthetic peptide used

for immunization is 100% homologues with the sequence in Triticum


aestivum, Hordeum vulgare, and 80-99% homologues with the



sequence in Zea mays, Vitis vinifera, Brassica rapa, Brassica napus, Populus trichocarpa, Gossypium raimondii, Solanum tuberosum, Medicago truncatula, Glycine max, Sorghum bicolor, Panicum virgatum, Setaria viridis, Solanum lycopersicum, Spinacia oleracea, Nicotiana tabacum, Oryza sativa.

For more species homologues information, please contact tech support at tech@phytoab.com.

## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide

for immunization and having a molecular mass of 45 kDa.

Electrophoresis: 12% SDS-PAGE

**Transfer:** blotting to NC (nitrocellulose) membrane for 1 h.

**Blocking:** 5% skim milk at RT or  $4^{\circ}$ C for 1 h.

**Primary antibody:** 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L

(HRP) (Cat# PHY6000).

Detection: using chemiluminescence substrate and image were captured

with CCD camera.