

## Anti-AT4G37483 antibody

## **Product Information**

	Description:	Rabbit polyclonal antibody
	Background:	AT4G37483 is a small protein and has either evidence of transcription or
		purifying selection.
	Synonyms:	AT4G37483
	Immunogen:	KLH-conjugated synthetic peptide (16 aa from N terminal section) derived from
		Arabidopsis thaliana AT4G37483.
	Form:	Lyophilized
	Quantity:	150 µg
	Purification:	Serum
		Peptide affinity form antibody available upon request at <u>info@phytoab.com</u> .
	Reconstitution:	Reconstitution with 150µl of sterile water.
		"Note: please spin tube briefly prior to opening it to avoid any losses that might
		occur from lyophilized material adhering to the cap or sides of the tube".
	Stability &	Use a manual defrost freezer and avoid repeated freeze-thaw cycles.
	Storage:	12 months from date of receipt, -20 to -70 $^\circ \!\! \mathbb{C}$ as supplied.
		6 months, -20 to -70 $^\circ\!\!\!\!\!^\circ$ under sterile conditions after reconstitution.
		1 month, 2 to 8 $^\circ\!\!\!\!\!^{ m C}$ under sterile conditions after reconstitution.
	Shipping:	The product is shipped at 4 $^\circ\!\mathrm{C}$ . Upon receipt, store it immediately at the
		temperature recommended above.


## **Application Information**

<b>Recommended Dilution:</b>	Western Blot (1:1000-1:2000)
	Note: Optimal dilutions/concentrations should be determined by the
	end user.
Expected / apparent MW:	8 kDa
Predicted Reactivity:	For more species homologues information, please contact tech
	support at <u>tech@phytoab.com</u> .

**Research Use Only** 



## **Application Example**



Recom: 2.5 ng, 10 ng and 25 ng recombinant protein containing the peptide for immunization and having a molecular mass of 40 kDa.

Electrophoresis: 12% SDS-PAGE

Transfer: blotting to NC (nitrocellulose) membrane for 1 h.

Blocking: 5% skim milk at RT or 4℃ for 1 h.

Primary antibody: 1:1000 dilution overnight at 4°C.

Secondary antibody: 1:10000 dilution using Goat Anti-Rabbit IgG H&L (HRP) (Cat# PHY6000).

**Detection:** using chemiluminescence substrate and image were captured with CCD camera.



**Research Use Only**